



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 13, 2015

Thomas M. Pors
Law Office of Thomas M. Pors
1700 Seventh Avenue Suite 2100
Seattle, WA 98101

Re: Water Right No. G2-21950 for City of Port Angeles

Dear Mr. Pors:

In response to your request, you are hereby granted an extension to complete construction for the reasons below:

- Due diligence is shown in the development of this permit. A Ranney collector and alternate surface-water diversion point have been constructed and water is in use for municipal supply purposes.
- Delays were encountered due to channel migration and other complications associated with the removal of dams and restoration efforts on the Elwha River.
- Additional time is needed to complete construction of the water supply system due to the magnitude of this project for municipal supply purposes.

The new deadline to submit a *Construction Notice* is **July 1, 2050**.

As a condition of this 35-year extension, the City of Port Angeles must submit a brief construction status update or "progress report", every five years, beginning on July 1, 2020. Ecology will send reminder notices prior to reporting due dates. Electronic mail responses are acceptable.

If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.


You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,


Michael J. Gallagher
Section Manager
SWRO Water Resources

Enclosures: *Construction Notice*
Your Right to Be Heard

cc: City of Port Angeles

BY CERTIFIED MAIL: 7013 2630 0001 9408 8565